



# SAFETY DATA SHEET



Page No: 1 / 5

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Commission Regulation (EU) 2015/830

## WRX TRADE SATINWOOD PAINT

Preparation Date	: 04.11.2019	Revision Date	: 01.01.2023
Form No	: GBF 03.602	Revision No	: 1

### 1. Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1. Product identifier

WRX Trade Satinwood Paint

#### 1.2. Relevant identified uses of the mixture and uses advised against

Water-based, protective, quick drying top coat satinwood paint based on pure acrylic emulsion offering a semi-gloss finish.

#### 1.3. Details of the supplier of the safety data sheet

Name : AKCALI UK LIMITED  
Address : Third Floor, 207 Regent Street, W1B 3HH London, UK  
Tel / Fax : +44 07481 810 270  
Contact e-mail : info@wrxtrade.co.uk

#### Manufacturer

Name : Akçalı Boya ve Kimya San. Tic. A.Ş.  
Address : Osmangazi M. Mareşal Fevzi Çakmak C. No:5 Esenyurt – İstanbul/Türkiye  
Tel / Fax : +90 212 886 23 43 (Pbx) / +90 212 886 18 11  
Contact e-mail : seval.karahasan@akcaliboya.com.tr

#### 1.4. Emergency telephone number

Emergency telephone number : 112 (24 h)  
Supplier : +44 07481 810 270

### 2. Hazards Identification

#### 2.1. Classification of the substance/mixture

Classification according to regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures:

The product hasn't been classified.

#### 2.2. Label elements

Labelling isn't required.

#### Precautionary Statements

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P270: Do not eat, drink or smoke when using this product.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container through licensed companies.

#### Supplemental Label Elements

EUH208: Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Cas No: 55965-84-9) and 1,2-benzisothiazol-3(2H)-one (Cas. No: 2634-33-5). May produce an allergic reaction.

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3. Other hazards

It has not been classified to according to PBT and vPvB.

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Commission Regulation (EU) 2015/830

## WRX TRADE SATINWOOD PAINT

Preparation Date : 04.11.2019  
Form No : GBF 03.602

Revision Date : 01.01.2023  
Revision No : 1

### 3. Composition/Information on the Ingredients

#### 3.2. Mixture

Ingredient name	EC No	CAS No	%	Classification (EC 1272/2008)
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	611-341-5	55965-84-9	<0,0015	Acute Tox.3-H301 Acute Tox.2-H310 Acute Tox.2-H330 Skin Corr.1C-H314 Eye Dam.1-H318 Skin Sens.1A-H317 Aquatic Acute 1-H400 (M=100) Aquatic Chronic 1-H410 (M, chronic=100)
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	<0,05	Acute Tox.4-H302 Skin Irrit.2-H315 Eye Dam.1-H318 Skin Sens.1-H317 Aquatic Acute 1-H400

\* For the explanation of the listed hazard statements refer to Section 16.

\*\* This mixture contains  $\geq 1\%$  of titanium dioxide. The Annex VI classification of titanium dioxide does not apply to this mixture according to Notes W, V and 10.

### 4. First Aid Measures

#### 4.1 Description of first aid measures

Inhalation : Remove to fresh air. In case of persistent complaints obtain medical attention.

Ingestion : Do not induce vomiting. Immediately obtain medical attention.

Skin contact : Remove contaminated clothing. Clean the skin with water, soap and special cleaning cream.

Eye contact : Flush eye with copious quantities of water. If irritation occurs, obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Other information is not available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Other information is not available.

### 5. Firefighting Measures

The product isn't flammable.

#### 5.1 Extinguishing media

Suitable extinguishing media : Water, dry chemical powder, foam, CO<sub>2</sub>, inert absorbent sand.

Unsuitable extinguishing media : No

#### 5.2 Special hazards arising from the substance or mixture

If fire starts, not breathe the fume

#### 5.3 Advice for firefighters

Use suitable protective clothes, boots, gloves, eye and face protective, breathing equipment.

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Commission Regulation (EU) 2015/830

## WRX TRADE SATINWOOD PAINT

---

Preparation Date : 04.11.2019  
Form No : GBF 03.602

Revision Date : 01.01.2023  
Revision No : 1

---

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

If leak and spill occurs, ventilate the environment sufficiently, wear personal protective equipment.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water and soil.

#### 6.3 Methods and material for containment and cleaning up

Use sand, sawdust or inert absorbent material to limit product leakage. Transfer the leaky material to suitable containers for safe disposal. Soak up with an appropriate absorbent material and put it in a closed container for safe disposal in accordance with current legislation (Section 13).

#### 6.4 Reference to other sections

Responding to accident place, wear personal protective equipment in Section 8 and dispose of waste in accordance with procedure in Section 13.

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Use in well-ventilated areas. Extra special precautions aren't required. Avoid product releasing unrestrainedly.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in closed package at ambient temperature protecting from direct sun lights and hot. Product isn't flammable and explosive.

#### 7.3 Specific end use(s)

Use by looking product label.

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Indicative occupational exposure limit values: Not detected any limits.

#### 8.2 Exposure controls

Personal protective equipment

Respiratory protection : Special equipment isn't required. Provide ventilation in working area.

Hand protection : Wear waterproof rubber gloves with CE marking.

Eye protection : Use eyewear with CE marking.

Skin protection : Not require special clothes. Take off working-clothes after usage.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance : Liquid

Colour : Card colours

Odour : Special characteristic odour

Density :  $1,20 \pm 0,15 \text{ gr/cm}^3$  (25°C)

Solid :  $53 \pm 2$  (120°C 30 min) (White. Other colours will vary.)

pH :  $8,5 \pm 1$

Flash point : Not applicable

Self igniting : Product is not self igniting

Boiling point : Not determined

Melting point : Not determined

Solubility : Soluble in water



# SAFETY DATA SHEET



Page No: 4 / 5

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Commission Regulation (EU) 2015/830

## WRX TRADE SATINWOOD PAINT

Preparation Date : 04.11.2019  
Form No : GBF 03.602

Revision Date : 01.01.2023  
Revision No : 1

EU limit value for this product (cat.A/d): 130 g/l (2010). This product contains max 29 g/l VOC\*.  
\*ready to use

### 9.2 Other information

Other information is not available.

### 10. Stability and Reactivity

- 10.1 Reactivity** : Under normal conditions, product does not react.  
**10.2 Chemical stability** : Stable under normal conditions of storage and use.  
**10.3 Possibility of hazardous reactions** : Not  
**10.4 Conditions to avoid** : Not special conditions.  
**10.5 Incompatible materials** : Not special materials.  
**10.6 Hazardous decomposition products** : No hazardous decomposition products known.

### 11. Toxicological Information

#### 11.1 Information on toxicological effects

No toxicity data are available for the product.

- Ingestion : May be harmful if ingestion  
Inhalation of vapour : Not detected a problem.  
Skin contact : Product contains a sensitising substance. May produce an allergic reaction.  
Eye contact : May cause irritation eyes.

### 12. Ecological Information

- 12.1 Toxicity** : No ecotoxicity data are available for the product.  
**12.2 Persistence and degradability** : No available data  
**12.3 Bioaccumulative potential** : No bioaccumulative potential for product  
**12.4 Mobility in soil** : No mobility  
**12.5 Results of PBT and vPvB assessment** : No available data  
**12.6 Other adverse effects** : No available data

### 13. Disposal Considerations

Disposal of waste/surplus and contaminated packaging should be carried out in accordance with applicable regional, national and local laws and regulations. According to European Waste Catalogue, waste codes:

Waste paint and varnish : 080111  
Contaminated package : 150110  
Contaminated waste : 150202

#### 13.1 Waste treatment methods

Do not allow product to reach sewage system.  
Wastes should be sent to licensed recycling facility

### 14. Transport Information

Road Transport : ADR / RID ve GGVS / GGVE  
Marine Transport : IMDG / GGVSea  
Air Transport : ICAO – TI ve IATA DGR

Product isn't dangerous goods according to these regulations.

- 14.1 UN number** : Not applicable.  
**14.2 UN proper shipping name** : Not applicable.



## SAFETY DATA SHEET



Page No: 5 / 5

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Commission Regulation (EU) 2015/830

### WRX TRADE SATINWOOD PAINT

Preparation Date : 04.11.2019  
Form No : GBF 03.602

Revision Date : 01.01.2023  
Revision No : 1

- 14.3 Transport hazard class(es)** : Not applicable.  
**14.4 Packing group** : Not applicable.  
**14.5 Environmental hazards** : Not applicable.  
**14.6 Special precautions for user** : Not applicable  
**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:** Not applicable

### 15. Regulatory Information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This form has been prepared according to Regulation (EC) No 1907/2006 of the European Parliament and of the Council, of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), as amended.

The product has been classified and marked according to Regulation (EC) No 1272/2008 of the European Parliament and of the Council 16 December 2008 on Classification, Labelling and Packaging of Substances and Mixtures, as amended.

Indicative occupational exposure limit values have been written in accordance with Directive 98/24/EC.

VOC of product has been calculated according to 2004/42/EC.

**15.2 Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

### 16. Other Information

Revision has been carried out due to changes in Section 2 and 3.

Explanation of the hazard and precautionary statements according to (EC) No 1272/2008:

#### Hazard Statements

H301: Toxic if swallowed  
H302: Harmful if swallowed  
H310: Fatal in contact with skin  
H314: Causes severe skin burns and eye damage  
H315: Causes skin irritation  
H317: May cause an allergic skin reaction  
H318: Causes serious eye damage  
H330: Fatal if inhaled  
H400: Very toxic to aquatic life.  
H410: Very toxic to aquatic life with long lasting effects.

Name-Surname : Seval KARAHASAN  
MSDS Certificate No : KDU-A-0-0178  
Document Date : 21.10.2022

**Note:** The data given here is based on our current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. However, it shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.