

### Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 26.06.2015

Revision date: 01.06.2020 Supersedes: 29.02.2016 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier 1.1.

Product form	: Mixture
Trade name	: CONTACT SPRAY
Product code	: AE00E60
Type of product	: Aerosol

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

Professional use

#### 1.2.2. Uses advised against

No additional information available

#### 1.3 Details of the supplier of the safety data sheet

AKKİM YAPI KİMYASALLARI SANAYİ ve TİCARET A.Ş. E-mail address of competent person responsible for the SDS : nilufer.ergin@akkim.net

#### 1.4. Emergency telephone number

Emergency number : +90 2127711371 (9:00 am- 17:00 pm GMT+2)				
Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

### **SECTION 2: Hazards identification**

Classification of the substance or mixture 2.1.

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229 On basis of test data

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause cancer. May cause genetic defects.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Easening according to Regulation (20) No. 12		
Hazard pictograms (CLP)	: GHS02	
Signal word (CLP)	: Danger	
Hazardous ingredients	Naphtha (petroleum), hydrotreated heavy, Low boiling point hydrogen treated naphtha, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrog in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predomina in the range of C6 through C13 and boiling in the range of approximately 65°C to 230°C (14 to 446°F).]	antly
Hazard statements (CLP)	: H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated	
Precautionary statements (CLP)	<ul> <li>P102 - Keep out of reach of children</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.</li> <li>smoking</li> <li>P211 - Do not spray on an open flame or other ignition source</li> <li>P251 - Do not pierce or burn, even after use</li> <li>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F</li> </ul>	
01.06.2020	EN (English)	1/9

### Safety Data Sheet

		According to Regulation (E	U) 2015/830	
	Date of issue: 26.06.2015	Revision date: 01.06.2020	Supersedes: 29.02.2016	Version: 2.0
		P260 - Do not breathe spray P262 - Do not get in eyes, or P301+P310 - IF SWALLOWI P331 - Do NOT induce vomi	n skin, or on clothing ED: Immediately call a doctor,	a POISON CENTER
Child-resistant fastenin	g	: Not applicable		
Tactile warning		: Not applicable		

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Mixture

Not applicable

3.2.

Name	Product identifier
Naphtha (petroleum), hydrotreated heavy, Low boiling point	(CAS No) 64742-48-9
hydrogen treated naphtha, [A complex combination of	(EC no) 265-150-3
hydrocarbons obtained by treating a petroleum fraction with	(EC index no) 649-327-00-6
hydrogen in the presence of a catalyst. It consists of	
hydrocarbons having carbon numbers predominantly in the	

hydročarbons having carbon numbers predominantly in the range of C6 through C13 and boiling in the range of approximately 65°C to 230°C (149°F to 446°F).] (Note P)			
Ethane, 1,1-difluoro-	(CAS No) 75-37-6	30 - 50	Flam. Gas 1, H220 Compressed gas, H280
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

%

50 - 70

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1, H304

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	cts, both acute and delayed
No additional information available	
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

	According to Regulation (EU) 2015/830
Date of issue: 26.06.2015	Revision date: 01.06.2020 Supersedes: 29.02.2016 Version: 2.0
<b>SECTION 6: Accidental release meas</b>	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ies if product enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up	: Recover mechanically the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters			
CONTACT SPRAY			
Poland	Local name	Benzyna do lakierów	
Poland	NDS (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>	
Poland	NDSCh (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>	
Switzerland	Local name	Naphta* lourd (pétrole), hydro-traité	
Switzerland	VME (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>	
Switzerland	VME (ppm)	50 ppm	
Switzerland	VLE (mg/m <sup>3</sup> )	600 mg/m³	
Switzerland	VLE (ppm)	100 ppm	

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
Environmental exposure controls	: Avoid release to the environment.

### SECTION 9: Physical and chemical properties

9.1.	Information on basic physic	sical and chemical proper	ties

Physical state

### Safety Data Sheet

	According to Regulation (EU) 2015/830
Date of issue: 26.06.2015	Revision date: 01.06.2020 Supersedes: 29.02.2016 Version: 2.0
Appearance	: Liquid under pressure.
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 55 - 77 °C
Flash point	: 21 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: > 50 mm Hg
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.802 g/cm <sup>3</sup>
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 55 %
<b>SECTION 10: Stability and reactivity</b>	
10.1. Reactivity	
Extremely flammable aerosol. Pressurised conta	ainer: May burst if heated.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal co	nditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames	s, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, has	zardous decomposition products should not be produced.
SECTION 11: Toxicological informat	tion
11.1. Information on toxicological effects Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

 Reproductive toxicity
 : Not classified

 Specific target organ toxicity (single exposure)
 : Not classified

 Specific target organ toxicity (repeated
 : Not classified

exposure)

Safety Data Sheet

	Safety Data S	Sheet	
	According to Regulation (E	U) 2015/830	
Date of issue: 26.06.2015	Revision date: 01.06.2020	Supersedes: 29.02.2016	Version: 2.0
Aspiration hazard	: Not classified		
CONTACT SPRAY			
Vaporizer	Aerosol		
SECTION 12: Ecological information	on		
12.1. Toxicity			
Ecology - general	<ul> <li>The product is not consider effects in the environment.</li> </ul>	ed harmful to aquatic organis	sms or to cause long-term adverse
	enects in the environment.		
Ethane, 1,1-difluoro- (75-37-6) LC50 fish 1	733 mg/l		
EC50 Daphnia 1	720 mg/l		
ErC50 (algae)	419 mg/l		
12.2 Devoictores and degradability			
12.2. Persistence and degradability No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessn	nent		
No additional information available			
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal consideration	000		
	0115		
13.1. Waste treatment methods Waste treatment methods	· Dispose of contents/contain	or in accordance with license	ed collector's sorting instructions.
			concerence a sorting instructions.
SECTION 14: Transport informatio	n		
In accordance with ADR / RID / IMDG / IATA /	ADN		
14.1. UN number			
UN-No. (ADR)	: 1950		
UN-No. (IMDG)	: 1950		
UN-No. (IATA)	: 1950		
UN-No. (ADN)	: 1950		
UN-No. (RID)	: 1950		
14.2. UN proper shipping name			
Proper Shipping Name (ADR)	: AEROSOLS		
Proper Shipping Name (IMDG)	: AEROSOLS		
Proper Shipping Name (IATA)	: Aerosols, flammable		
Proper Shipping Name (ADN)	: AEROSOLS		
Proper Shipping Name (RID)	: AEROSOLS		
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1,	(D)	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1		
Transport document description (IATA)	: UN 1950 Aerosols, flamma	ble, 2.1	
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1		
Transport document description (RID)	: UN 1950 AEROSOLS, 2.1		
14.3. Transport hazard class(es)			
ADR			
Transport hazard class(es) (ADR)	: 2.1		
Danger labels (ADR)	: 2.1		
	:		

Safety Data Sheet

Date of issue: 26.06.2015	According to Regulation (E Revision date: 01.06.2020	EU) 2015/830 Supersedes: 29.02.2016	Version: 2.0	
		040000000000000000000000000000000000000		
IMDG				
Transport hazard class(es) (IMDG)	: 2.1			
Danger labels (IMDG)	: 2.1			
	:			
	2			
	. 04			
Transport hazard class(es) (IATA)	: 2.1			
Hazard labels (IATA)	: 2.1			
	•			
	- whe			
	2			
	•			
ADN				
Transport hazard class(es) (ADN)	: 2.1			
Danger labels (ADN)	: 2.1			
	V			
RID				
Transport hazard class(es) (RID)	: 2.1			
Danger labels (RID)	: 2.1			
	:			
	2			
14.4. Packing group				
Packing group (ADR)	: Not applicable			
Packing group (IMDG)	: Not applicable			
Packing group (IATA)	: Not applicable			
Packing group (ADN)	: Not applicable			
Packing group (RID)	: Not applicable			
14.5.Environmental hazardsDangerous for the environment	: No			
Marine pollutant	: No			
Other information	: No supplementary informat	tion available		
14.6. Special precautions for user				
- Overland transport				
Classification code (ADR)	: 5F			
Special provisions (ADR)	: 190, 327, 344, 625			
Limited quantities (ADR)	: 11			
Excepted quantities (ADR)	: E0			
Packing instructions (ADR)	: P207, LP02			
01.06.2020	EN (English)			6/9

### Safety Data Sheet

Date of issue: 26.06.2015	According to Regulation (EL Revision date: 01.06.2020	l) 2015/830 Supersedes: 29.02.2016	Version: 2.0
Special packing provisions (ADR)	: PP87, RR6, L2		
Mixed packing provisions (ADR)	: MP9		
Transport category (ADR)	: 2		
Special provisions for carriage - Packages (ADR)	: V14		
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12		
Special provisions for carriage - Operation (ADR)	: S2		
Tunnel restriction code (ADR)	: D		
- Transport by sea			
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959		
Limited quantities (IMDG)	: SP277		
Excepted quantities (IMDG)	: E0		
Packing instructions (IMDG)	: P207, LP02		
Special packing provisions (IMDG)	: PP87, L2		
EmS-No. (Fire)	: F-D		
EmS-No. (Spillage)	: S-U		
Stowage category (IMDG)	: None		
Stowage and handling (IMDG)	: SW1, SW22		
Segregation (IMDG)	: SG69		
MFAG-No	: 126		
- Air transport			
PCA Excepted quantities (IATA)	: E0		
PCA Limited quantities (IATA)	: Y203		
PCA limited quantity max net quantity (IATA)	: 30kgG		
PCA packing instructions (IATA)	: 203		
PCA max net quantity (IATA)	: 75kg		
CAO packing instructions (IATA)	: 203		
CAO max net quantity (IATA)	: 150kg		
Special provisions (IATA)	: A145, A167, A802		
ERG code (IATA)	: 10L		
- Inland waterway transport			
Classification code (ADN)	: 5F		
Special provisions (ADN)	: 190, 327, 344, 625		
Limited quantities (ADN)	: 1L		
Excepted quantities (ADN)	: E0		
Equipment required (ADN)	: PP, EX, A		
Ventilation (ADN)	: VE01, VE04		
Number of blue cones/lights (ADN)	: 1		
- Rail transport			
Classification code (RID)	: 5F		
Special provisions (RID)	: 190, 327, 344, 625		
Limited quantities (RID)	: 1L		
Excepted quantities (RID)	: E0		
Packing instructions (RID)	: P207, LP02		
Special packing provisions (RID)	: PP87, RR6, L2		
Mixed packing provisions (RID)	: MP9		
Transport category (RID)	: 2		
Special provisions for carriage – Packages (RID)	: W14		
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12		
Colis express (express parcels) (RID)	: CE2		
Hazard identification number (RID)	: 23		

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 26.06.2015 Revision date: 01.06.2020 Supersedes: 29.02.2016

Version: 2.0

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7. Not applicable **SECTION 15: Regulatory information** Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1. **EU-Regulations** 15.1.1. Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances : 55 % VOC content National regulations 15.1.2. Germany VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4) 12th Ordinance Implementing the Federal : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BImSchV Netherlands Naphtha (petroleum), hydrotreated heavy, Low boiling point hydrogen treated naphtha, [A SZW-lijst van kankerverwekkende stoffen complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C6 through C13 and boiling in the range of approximately 65°C to 230°C (149°F to 446°F).] is listed Naphtha (petroleum), hydrotreated heavy, Low boiling point hydrogen treated naphtha, [A SZW-lijst van mutagene stoffen complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C6 through C13 and boiling in the range of approximately 65°C to 230°C (149°F to 446°F).] is listed NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen - Borstvoeding NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen - Vruchtbaarheid NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen - Ontwikkeling Denmark Class for fire hazard : Class I-1 Store unit : 1 liter Classification remarks F <Aerosol 1>; Emergency management guidelines for the storage of flammable liquids must be followed **Recommendations Danish Regulation** : Young people below the age of 18 years are not allowed to use the product The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Full text of H- and EUH-sta	atements:	
Aerosol 1	Aerosol, Category 1	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 1B	Carcinogenicity, Category 1B	
Compressed gas	Gases under pressure : Compressed gas	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Muta. 1B	Germ cell mutagenicity, Category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H220	Extremely flammable gas	
H222	Extremely flammable aerosol	
H225	Highly flammable liquid and vapour	

### Safety Data Sheet

### According to Regulation (EU) 2015/830

	Date of issue: 26.06.2015	Revision date: 01.06.2020	Supersedes: 29.02.2016	Version: 2.0	
H229	Pressurised	l container: May burst if heate	d		
H280	Contains ga	Contains gas under pressure; may explode if heated			
H304	May be fata	May be fatal if swallowed and enters airways			
H319	Causes ser	ious eye irritation			
H336	May cause	drowsiness or dizziness			
H340	May cause	genetic defects			
H350	May cause	cancer			

#### SDS EU AKKIM

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable